

To: Shore, Berry[Shore.Berry@epa.gov]; Simon, Paul[Simon.Paul@epa.gov]
From: Enck, Judith
Sent: Tue 4/12/2016 11:50:46 PM
Subject: Fwd: Google Alert - PFOA

Sent from my iPhone

Begin forwarded message:

From: Google Alerts <googlealerts-noreply@google.com>
Date: April 12, 2016 at 4:01:06 PM EDT
To: enck.judith@epa.gov
Subject: Google Alert - PFOA

PFOA

Daily update □ April 12, 2016

NEWS

Rensselaer County announces latest PFOA results

Albany Times Union

PETERSBURGH — Rensselaer County's latest tests for **PFOA** contamination in 14 private wells in the town of Petersburg found only one exceeding ...

[More Rensselaer County PFOA Test Results Come In - TWC News](#)

[Full Coverage](#)

   [Flag as irrelevant](#)

Health Department to offer blood testing for PFOA

Barre Montpelier Times Argus

Health Commissioner Harry Chen said the initiative is a response to significant public concern as perfluorooctanoic acid, or **PFOA** — once widely used ...

[PFOA blood tests offered to people in North Bennington and Bennington - vtdigger.org](#)

[Hundreds in Hoosick Falls wait patiently for PFOA blood test results - NEWS10 ABC](#)

[Blood tests for those concerned about PFOA exposure - Fresno Bee](#)

[Full Coverage](#)

   [Flag as irrelevant](#)

Additional PFOA test results returned from Petersburg water samples

NEWS10 ABC

PETERSBURGH, N.Y. (NEWS10) — Rensselaer County has continued testing of potential **PFOA** contamination in the water in the town of Petersburg.

   [Flag as irrelevant](#)

View in RSS

Chemical Contamination Has New Hampshire Town On Edge

Caledonian Record

LITCHFIELD, N.H. (AP) — When Tracy Madden heard her water could be contaminated with the potentially cancer-causing chemical **PFOA**, she ...

   [Flag as irrelevant](#)

Monadnock Ledger
Transcript

Town will test drinking water

Monadnock Ledger Transcript

This year, the town will test the municipal water supply for Perfluorooctanoic acid, or **PFOA** — a byproduct of manufacturing Teflon that the N.H. ...

   [Flag as irrelevant](#)

[Most Buck, Montco residents with contamination levels below EPA guideline are getting clean ...](#)

Newsworks.org

"Fifteen private wells have levels of **PFOA** between 0.1 and 0.4 ppb. Of these, thirteen are now connected to public water or currently receiving bottled ...

   [Flag as irrelevant](#)

WEB

PFOA blood tests offered to people in North Bennington and Bennington

Vermont Department of Health

BURLINGTON — The Vermont Department of Health, with support from Southwestern Vermont Medical Center, is offering **PFOA** blood draw clinics as ...

   [Flag as irrelevant](#)

You have received this email because you have subscribed to **Google Alerts**.

[Unsubscribe](#)

[Receive this alert as RSS feed](#)

[Send Feedback](#)